

## **Amendments to the Claims**

This listing of the claims replaces all prior versions and listings of claims in the application.

## **Listing of Claims**

1-9. (Cancelled)

10. (Currently Amended) A computer system to support ~~for supporting~~ a plurality of graphical user interface (GUI) application programming interfaces (APIs), the computer system comprising:

a processor executing a query assist tool, the processor being a hardware component within the computer system, the query assist tool comprising

a model content provider in communication with a query model, the query model comprising a plurality of elements that represents a database statement, wherein the model content provider translates the plurality of elements into objects that are independent of any type of data structure associated with the plurality of GUI APIs;

a first content viewer in communication with the model content provider, the first content viewer supporting multiple GUI APIs, wherein the translated objects are passed from the model content provider to the first content viewer; and

a second content viewer in communication with the first content viewer and an application ~~implementing a~~ written to run on a specific GUI API of the plurality of GUI APIs, ~~the second content viewer being designed for the specific GUI API,~~ wherein the translated objects are passed from the first content viewer to the second content viewer

and the second content viewer manipulates the translated objects into one or more types of data structures required by the specific GUI API for use ~~that are usable~~ by the application.

11. (Currently Amended) The computer system of claim 10, wherein the one or more types of data structures comprise tables, trees, or lists.

12. (Currently Amended) The computer system of claim 10, wherein the database statement is a structured query language (SQL) statement.

13. (Currently Amended) The computer system of claim 10, wherein the model content provider

receives information from the application via the first content viewer and the second content ~~viewers~~ viewer, the received information being independent of any type of data structure, and

creates one or more additional elements based on the received information responsive to the received information being an addition to the plurality of elements in the query model.

14. (Currently Amended) The computer system of claim 10, wherein the model content provider

receives information from the application via the first content viewer and the second content ~~viewers~~ viewer, the received information being independent of any type of data structure, and

removes one or more of the plurality of elements from the query model responsive to the received information being a deletion of the one or more elements in the query model.

15. (Currently Amended) The computer system of claim 10, wherein the model content provider provides both data and image information for each of the plurality of elements in the query model to the first content viewer.

16. (Currently Amended) A method for supporting a plurality of graphical user interface (GUI) application programming interfaces (APIs), the method comprising:

translating a plurality of elements of a query model into objects that are independent of any type of data structure associated with the plurality of GUI APIs, the plurality of elements being translated through use of ~~using~~ a model content provider in communication with the query model, the plurality of elements representing a database statement;

passing the translated objects from the model content provider to a first content viewer in communication with the model content provider, the first content viewer supporting multiple GUI APIs;

passing the translated objects from the first content viewer to a second content viewer, the second content viewer being in communication with the first content viewer and an application implementing a ~~the second content viewer being designed for the specific GUI API; and~~ written to run on a specific GUI API of the plurality of GUI APIs;

using the second content viewer to manipulate ~~manipulating~~ the translated objects into one or more types of data structures required by the specific GUI API for use ~~that are usable~~ by the application ~~using the second content viewer.~~

17. (Previously Presented) The method of claim 16, wherein the one or more types of data structures comprise tables, trees, or lists.

18. (Previously Presented) The method of claim 16, wherein the database statement is a structured query language (SQL) statement.

19. (Currently Amended) The method of claim 16, further comprising:

receiving information from the application via the first content viewer and ~~the~~ second content ~~viewers~~ viewer at the model content provider, the received information being independent of any type of data structure; and

creating one or more additional elements using the model content provider based on the received information responsive to the received information being an addition to the plurality of elements in the query model.

20. (Currently Amended) The method of claim 16, further comprising:

receiving information from the application via the first content viewer and ~~the~~ second content ~~viewers~~ viewer at the model content provider, the received information being independent of any type of data structure; and

removing one or more of the plurality of elements from the query model using the model content provider responsive to the received information being a deletion of the one or more elements in the query model.

21. (Previously Presented) The method of claim 16, further comprising:

providing both data and image information for each of the plurality of elements in the query model to the first content viewer using the model content provider.

22. (Currently Amended) A computer-readable medium encoded with a computer program for supporting a plurality of graphical user interface (GUI) application programming interfaces (APIs), the computer program comprising computer-executable instructions for:

translating a plurality of elements of a query model into objects that are independent of any type of data structure associated with the plurality of GUI APIs, the plurality of elements being translated through use of ~~using~~ a model content provider in communication with the query model, the plurality of elements representing a database statement;

passing the translated objects from the model content provider to a first content viewer in communication with the model content provider, the first content viewer supporting multiple GUI APIs;

passing the translated objects from the first content viewer to a second content viewer, the second content viewer being in communication with the first content viewer and an application implementing a specific GUI API of the plurality of GUI APIs; ~~the second content viewer being designed for the specific GUI API;~~ and

using the second content viewer to manipulate ~~manipulating~~ the translated objects into one or more types of data structures required by the specific GUI API for use ~~that are usable~~ by the application ~~using the second content viewer.~~

23. (Previously Presented) The computer-readable medium of claim 22, wherein the one or more types of data structures comprise tables, trees, or lists.

24. (Previously Presented) The computer-readable medium of claim 22, wherein the database statement is a structured query language (SQL) statement.

25. (Currently Amended) The computer-readable medium of claim 22, wherein the computer program further comprises computer-executable instructions for:

receiving information from the application via the first content viewer and the second content ~~viewers~~ viewer at the model content provider, the received information being independent of any type of data structure; and

creating one or more additional elements using the model content provider based on the received information responsive to the received information being an addition to the plurality of elements in the query model.

26. (Currently Amended) The computer-readable medium of claim 22, wherein the computer program further comprises computer-executable instructions for:

receiving information from the application via the first content viewer and the second content ~~viewers~~ viewer at the model content provider, the received information being independent of any type of data structure; and

removing one or more of the plurality of elements from the query model using the model content provider responsive to the received information being a deletion of the one or more elements in the query model.

27. (Previously Presented) The computer-readable medium of claim 22, wherein the computer program further comprises computer-executable instructions for:

providing both data and image information for each of the plurality of elements in the query model to the first content viewer using the model content provider.

28. (New) The computer system of claim 10, wherein the computer system is one of a client workstation or a mainframe computer.